



Total Pages

UTILITY PATENT APPLICATION **TRANSMITTAL**

OPT 32U First Named inventor or Application Identifier

SMALSER, P. J.

(Only for new nonprovisional applications under 37 CFR 1.53(b)) Express Mail Label No

Attorney Docket No.

		- Zapros	7 17 14 14 14 14 14 14 14 14 14 14 14 14 14	EJU4/40	2687	US>	عِد
	PPLICATION ELEMENTS pter 600 concerning utility patent application of	ontents,	ADDRES	S TO: Box P	atent Ap	missioner for Patents U plication C 20231	
7 1 1	Transmittal Form	na de mal	8. Mici	rofiche Comput	ter Prog	ram (Appendix)	l
2. Spe	bmit an original, and a duplicate for fee processecification [Total Pages formed arrangement set forth below) escriptive title of the invention	Sung)	7. Nudeotide	•	Acid S	equence Submission	
	ross References to Related Applications		a	Computer	Readat	le Copy	
	tatement Regarding Fed sponsored R &		b.	Paper Cop	y (ideni	ical to computer copy)	
- Re	eference to Microfiche Appendix		ا .ه	Statement	verifie	g identity of above copies	
- Ba	ackground of the invention		٠	Statement	vernym	g identity of above copies	
	rief Summary of the Invention		ACCO	MPANYING A	APPLIC	ATION PARTS	\neg
0.5	rief Description of the Drawings (if filed)						ᅥ
- De	etailed Description		8. 1 As	signment Pape	is (cov	er sheet & document(s))	
- CI	laim(s) bstract of the Disclosure			CFR 3.73(b) S hen there is an		ON LOMEIO	
	awing(s) (35 USC 113) [Total Sheets]				-	ment (if applicable)	
	imig(s) (50 000 770) [70a2 sheets]	 ,	lnfr	ormation Disclo		Copies of IDS	ı
4. Oath or D	Declaration [Total Pages	3 1	144 1 1 """	tement (IDS)/F			
a. 1	Newly executed (original or copy)		12. Pre	eliminary Amen	dment		
b.	Copy from a prior application (37 C	FR 1.63(d))	13. Return Receipt Postcard (MPEP 503)				
i v	[Note Box 5 below] DELETION OF INVENTOR(S)			hould be special hall Entity		<i>mized)</i> ment filed in prior applicat	tion
	Signed statement attached	deleting				s still proper and desired	
The same	inventor(s) named in the prio			rtified Copy of			
5 Inco	see 37 CFR 1.63(d)(2) and 1 orporation By Reference (useable if Box 4)	.33(b). b is checked)		foreign priority		_ •	
The	e entire disclosure of the prior application	n, from which	a	her: Chic		3750 \$ 40	
	by of the oath or declaration is supplied considered as being part of the disclosur		***************************************				
	companying application and is hereby inc						
	erence therein. NTINUING APPLICATION, check approp	data hayan		:			
		ation-in-part (C		application No:			
~~						/	_
	18. CUR	RESPONDE	INCE ADDRES	8S			-
Custom	ner Number or Bar Code Label (Inserf Custo	omer No. or Aft	ach ber∞de label (or D	🗘 соп	espondence address below	
	MICHAEL Y. EPSTEI	VI					
NAME	THE CHILD I. DIDIE!	.1					
	-						
ADDRESS	359 GRIGGSTOWN RO	AD			., . .		
	•						
CITY	BELLE MEAD	STATE	N.J.	ZIP C	ODE	08502 ·	
COUNTRY	USA	TELEPHONE	(908) 359	-8453	FAX	(908) 359- 149	33

			PATENT
	Attorney's Docket	No. OPT	324
Applicant or Patentee:			
Serial or Patent No.: 0 /			
Filed or Issued:			
For:			
VERIFIED STATEMENT (DECL. STATUS (37 CFR 1.9(f) and 1.2	ARATION) CL 7(c))—SMALL	AIMING SM BUSINESS	IALL ENTITY CONCERN
hereby declare that I am			
the owner of the small busines	s concern identi	ified below:	
an official of the small business cern identified below:	s concern empo	wered to act o	n behalf of the con-
NAME OF CONCERN OCEAN POT	WER TECHNO	LOGIES, I	NC.
			A, SUITE 1
PENNIN	GTON, N.J.	08534	
coses of paying reduced fees under Sect in that the number of employees of the content of the co	concern, includir s statement, (1) previous fiscal y corary basis duri s of each other control the oth t or law have be we with regard to	ng those of its the number of the coning each of the when either, or a third-peen conveyed, the invention,	affiliates, does not of employees of the cern of the persons a pay periods of the directly or indirectly, party or parties conto and remain with entitled
by inventor(s) PAUL J. SMALSER,	CHARLES B.	CARROLL	
· · · · · · · · · · · · · · · · · · ·			
described in			
X the specification filed herewith.			
application serial no. 0 /		, filed	
patent no.			
f the rights held by the above identified s			

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention avening to their status as small entities. (37 CFR 1.27).

8437234925

		·-··
ADDRESS		
☐ INDIVIOUAL	SMALL BUSINESS CONCERN	☐ NONPROFIT ORGANIZATION
NAME		
ADDRESS	**************************************	
INDIVIDUAL	SMALL BUSINESS CONCERN	NONPROFIT ORGANIZATION
I hereby declare that	entity is no longer appropriate. (37 C all statements made herein of my c information and belief are believed	own knowledge are true and that a
statements were ma made are punishable United States Code, a	de with the knowledge that wilful by fine or imprisonment, or both, ur and that such wilful false statement nt issuing thereon, or any patent to	false statements and the like sonder Section 1001 of Title 18 of the is may jeopardize the validity of the which this verified statement is di
statements were ma made are punishable United States Code, a application, any pater rected.	de with the knowledge that wilful by fine or imprisonment, or both, ur and that such wilful false statement issuing thereon, or any patent to Charles Charles	false statements and the like sonder Section 1001 of Title 18 of the is may jeopardize the validity of the which this verified statement is differ F- Dunleavy
statements were ma made are punishable United States Code, a application, any pater rected. NAME OF PERSON S	de with the knowledge that willful by fine or imprisonment, or both, ur and that such willful false statement in issuing thereon, or any patent to Char- OTHER THAN OWNER	laise statements and the like ander Section 1001 of Title 18 of the is may jeopardize the validity of the which this verified statement is differ from the less formula and the like and th
statements were ma made are punishable United States Code, a application, any pater rected. NAME OF PERSON S	de with the knowledge that willful by fine or imprisonment, or both, ur and that such willful false statement it issuing thereon, or any patent to CharlOTHER THAN OWNER 1590	laise statements and the like sonder Section 1001 of Title 18 of the is may jeopardize the validity of the which this verified statement is differ from the like sond the statement is differed from the like sond the like sond the like sond the second the like sond the
statements were ma made are punishable United States Code, is application, any pater rected. NAME OF PERSON S TITLE OF PERSON O	de with the knowledge that willful by fine or imprisonment, or both, ur and that such willful false statement it issuing thereon, or any patent to CharlOTHER THAN OWNER 1590	false statements and the like sonder Section 1001 of Title 18 of the is may jeopardize the validity of the which this verified statement is differ F- Dunleavy

Protection Arrangement for Natural Energy Power Generation Systems

This application claims the benefit of provisional patent application 60/105,990 filed October 28, 1998.

Background of the Invention

This invention relates to the generation of electrical power from natural sources of energy, e.g., ocean waves, and particularly to the protection of the power generating system during conditions of excessively high levels of input energy, e.g., during ocean storms, while still operating the system for producing power.

One technique for protecting a power generating system during excessively high levels of input energy is simply to shut the system down; e.g., submerge a floating system normally responsive to the passage of ocean waves sufficiently deeply to be isolated from the surface storm conditions. A problem with this, however, is that power production is lost while the system is shut down.

Solutions are known where the power generating systems are only partially shut down; e.g., a system normally floating freely on the surface of an ocean is submerged beneath the surface but at a depth still responsive to the over-passing waves. Generally, however, such partial shut down solutions are complex and relatively slow operating.

The present invention provides a protection arrangement which is simple, inexpensive and quickly responsive to changing circumstances.

Summary of the Invention

In a power generating system using an electrical generator for generating electrical output power from the system, protection against excessive input energy levels is obtained by increasing the current output from the generator to an amount greater than that would "normally" otherwise be generated at the generator output in response to the increased energy input. The higher than normal output current changes the system operating efficiency and increases the mechanical impedance of the system to a level higher than would be present if the "normal" output current were being generated. The higher system mechanical impedance thus "stiffens" the system against the increased input energy, thus preventing for example, excessively high generator speeds of rotation. The system, while now operating at a less than optimum operating efficiency, continues to generate power.

Description of the Drawing

The sole drawing figure is a schematic illustration of a power generating system in accordance with the invention.

Description of Preferred Embodiments of the Invention

With reference to the drawing, a power generating system is illustrated for converting, by way of one example of use of the invention, energy contained in waves on the surface of an ocean to useful electrical power. Many such systems are known. Herein, quite simply, a float 10 vertically oscillates in response to passing waves for driving a hydraulic cylinder 12 for pressurizing a fluid for driving a hydraulic motor 14 for driving an electrical generator 16 for

generating electrical energy for transfer to an electrical load 18, e.g., an a.c. to d.c. rectifier for charging a storage battery.

Normally, the problem is to maximize the power output from the system, and the system is designed for operation at maximum possible efficiency.

As known, various energy converters, such as ocean wave and wind and water flow energy converters operate most efficiently when they are driving a power generating system whose impedance is matched to the configuration of the energy converter, and to the natural energy level present. The impedance can be thought of as the ratio of the force required to drive a system to the velocity produced in the driven system. A low impedance system will move rapidly when a small force is applied, whereas a high impedance, or stiff, system will move slowly even when a large force is applied. The power delivered to a system is the product of force and velocity (e.g., Newtons times meters per second (Nm/s) equals Watts of power). Drive systems for natural energy sources are normally designed and controlled to produce the maximum product of force and velocity delivered as power from the entire system.

During times of storms or other events, there can be very large amounts of natural energy impinging on a wave or flow energy converter. When this high natural energy is converted to mechanical energy, the system can be damaged or destroyed. For example, a piston with a physically defined stroke can be driven through its end stops, or a turbine can be driven fast enough that it is structurally damaged, or that its attached generator produces voltages that exceed the limits of the generator or its circuitry.

This disclosed innovation prevents system damage due to storms, while still producing power, by adjusting the impedance of the system from the optimum system efficiency values to high levels that impede the production of large

motions or speeds. The technique for system impedance adjustment is to vary the electrical load of the electric power generator. These higher levels of system impedance do not just absorb the natural energy less efficiently, they greatly reduce the conversion efficiency of the natural energy converter. This reduction in natural energy conversion efficiency can easily be a factor of ten. This greatly reduces the level of mechanical energy delivered to the drive system and prevents damage. This disclosed system is intelligent and only reduces the overly high energy available to acceptable levels while continuing to generate useful power.

The electric power generated by an electromagnetic generator is comprised of volts (potential) and amps (current). The product of the voltage times the amperage is the power in Watts (P = VxA). Thus, 100 Watts of power could be comprised of 100 volts times 1 amp, or 1 volt times 100 amps. With electromagnetic generators, the voltage produced is directly related to the generator's speed of rotation. The amount of current that can be produced at that voltage is directly related to the torque applied to the generator's shaft. These properties provide the opportunity for the generator's electronic circuitry to control the generator's mechanical impedance as seen at its drive shaft. As an example, assume a generator is being driven with a shaft speed of 5 Hertz (Hz), and is producing 100 volts while 1 amp is being drawn from the generator by its power circuitry. The generator is producing 100 Watts. The equation for mechanical power in a rotary device is P = 2 Tf, where:

P = mechanical power in Watts

T = the torque applied to the shaft in Nm

f = frequency of shaft rotation in Hz

In this case, 100 = 2 T5, and therefore the torque required at the shaft is at least T = 3.18 Nm. The reason that the term "at least" is used is that a generator

is not 100% efficient in converting torque into electrical current. However, the torque and current are directly related in a particular generator operating under particular conditions, and the principles of operation herein disclosed remain true for all typical generators. Therefore, in the present illustrative example, it is accepted that the torque-to-current coefficient of the generator is T = 3.18 Nm/amp.

In this example, if the power electronics circuit begins to draw 2 amps from the generator, the immediate power produced would be 200 Watts. If the natural energy source is providing sufficient energy, the generator speed can remain at 5 Hz, the torque input will be 6.36 Nm, and the power generated will remain at 200 Watts. This situation is good from an economic point of view, but does not provide over-stroke protection. If the power electronics circuit begins to draw 3 amps from the generator, the immediate power produced would be 300 Watts and the torque required would be T = 3x3.18 = 9.54 Nm. If the natural energy source is not providing sufficient energy to produce this torque, the generator speed cannot remain at 5 Hz. Assume, for example, that the speed decreases to 4 Hz. In this case the power generated would be P = 2 (3x3.18)4 = 240 Watts. More power is being generated and the system has slowed down. Thus, the chance of over stroking or over speeding has been reduced.

Now assume that the power electronics begins to draw 4 amps from the generator, and that this is at the limits of torque or force that the natural energy converter can extract from the environment. In this case, the speed will decrease significantly, for example to 1 Hz. The power generated would be P = 2 (4x3.18)1 = 80 Watts. The actual power delivered may be even lower due to increased heating losses in the generator windings caused by the increased current flow. However, power is still being generated as the system motion is greatly

retarded. Further increases in the current drawn from the generator would increase the systems impedance mismatch with the energy environment to the point that the drive stops moving and energy can no longer be converted. When it is safe to allow the system to move again, for instance when a wave is at a peak or trough and no vertically moving energy is available, the impedance can be decreased to provide power generation during the ensuing up or down wave motion. The electrical load impedance can be changed very rapidly as compared to the speed of the mechanical parts of the system.

The power generating or absorbing capacity of the generator and electronic circuits does not need to equal the power available to the natural energy converter during a storm. This would not be economical since the full power capacity would be used only rarely. The power capacity needs only to be sufficient to allow higher than optimum electric current to be drawn which increases the system impedance and hinders or essentially stops the energy converter from collecting natural power.

To provide intelligent control of the over-stroke protection technology, a sensor (e.g., shown as 80 in the drawing) is needed to detect the position of the stroking section of the energy converter. In the case of a rotary driven device such as a turbine, a sensor that measures speed is needed, for a linearly driven device, e.g., an hydraulic cylinder, a cylinder piston pivoting sensor is needed. Such sensors would normally be present in known power generating systems to provide operational information and, for use with the present invention, the outputs from such sensors are also communicated to the over-stroke controller. In a simple control strategy, an over-stroke control computer 22 constantly monitors the stroke position or system rotary speed and does not take action unless the measured values exceed a pre-selected value. When the stoke position

or rotary speed exceeds the pre-selected value, the over-stroke controller significantly increases the system impedance. If the next sensor readings are still too high, the impedance is again increased. This procedure is repeated until the sensor readings are within the acceptable range. If the rotary speed or position does not increase, the over-stroke control returns to the monitoring mode and the regular (known) power conversion circuit continues to operate the system.

A somewhat more sophisticated strategy for linear motion over-stroke or over-speed control requires calculating the rate of increase of stroke speed or rotary speed. This does not require a sensor in addition to the aforementioned sensors because the difference between sequential readings taken in fixed time steps indicates whether the system is speeding up or not. This speed calculation combined with the absolute position or speed allows the over-stroke control to chose larger or smaller increments of impedance increase to effect a smoother and more efficient control strategy. For example, if the stroke is approaching the allowable stroke limit but is not moving too fast, and is slowing down, a small amount of impedance increase is applied. This keeps the generator operating in an efficient range, and brings the system to a smooth stop. However, in an extreme condition, when the stroke is approaching the allowable stroke limit at a high rate of speed, and the speed is increasing, a large amount of impedance increase is applied. Also, the speed sensor is quickly checked again and the impedance increased again if necessary. This situation will produce inefficient power generation for a short period, and an abrupt braking of the stroke motion. However, power is still generated and the stroke is prevented from mechanically hitting its end-stop and damaging the system.

In the case of rotary motion and the use of the foregoing described more sophisticated control strategy, a larger impedance increase is added to the system

if the speed is increasing rapidly as it approaches the speed limit than is added if the speed is slowly increasing as it approached the speed limit.


The described over-stroke/over-speed control approach does not cause undue wear on the system since excess energy is absorbed electrically and not mechanically. Also, it does not absorb all of the excess natural energy but rather causes the natural energy converter to become inefficient and to transfer only a small portion of the excess energy to the drive system.

What is claimed is:

- 1. A method of operating a system for generating electrical power from a source of input energy occurring at variable rates including first rates at which the input energy can be safely captured at high energy conversion efficiencies and second rates in excess of the first rates and at which capture of the input energy at the high energy conversion efficiencies is likely to cause mechanical damage to the system, the method comprising collecting, with a power collecting mechanism, the input energy when present at said first rates and driving an electrical generator with said collected energy for generating and transferring electrical energy, to an electrical load, at a high input energy conversion efficiency corresponding to a first mechanical impedance presented to the power collecting mechanism and, in response to the input energy arriving at said second rates, varying the impedance of said load for increasing the output current from the generator for reducing the input energy conversion efficiently of the generator for increasing the mechanical impedance of the generator.
- 2. A method of operating a system for generating electrical power from a source of input energy arriving at variable rates comprising capturing the input energy with a mechanism for converting the input energy to mechanical energy for driving an electrical generator for generating and transferring electrical energy to an electrical load, and, when the input energy exceeds a preselected rate, varying the impedance of the load for increasing the current to the load for decreasing the energy conversion efficiency of the generator for increasing the mechanical impedance of the generator presented to the energy capturing mechanism.

Abstract of the Disclosure

Protection against damage caused by excessively high input energies, e.g., from ocean storms, is provided in energy converting systems by, in response to the detection of excessively high input energies, changing the electrical impedance of the electrical load to which power from an electrical generator is being delivered for increasing the generator output current for reducing the power converting efficiency of the generator. This increases the mechanical impedance presented by the generator to the source of input energy for reducing the motion producing effect of the input energy.



10.9

±4" 24::
THE STATE OF
11 p. 1
ļui.
1,14
33
ļui
Marie Marie Mines
HORE ATTEND ATTENDED TO THE SECOND
The state and the test with
HORE ATTOM COME. WHEN

Please type a plus sign (+) inside this box Under the Paperwork Reduction Act of 1995, no persons a a valid OMB control number.	Patent and Trademark Office	A-119 DE	ugh 9/30/00.	FO/SB/01 (12-97) OMB 0651-0032 OF COMMERCE unless it contains	
DECLARATION FOR UTILITY OF	Attorney Docket Nur	nber	OPT 32 U		
DECLARATION FOR UTILITY OR DESIGN	First Named Invento	£	SMALSI	ER, P. J.	
PATENT APPLICATION	COMPLETE IF KNOWN				
(37 CFR 1.63)	Application Number		/		
XX Declaration	Filing Date	ОСТ	. 28,	1999	
Submitted OR Submitted after Initial	Group Art Unit				
with Initial Filing (surcharge (37 CFR 1.16 (e))	Examiner Name]	

As a below named inventor, I hereby declare that:									
My residence, post office address, and citizenship are as stated below next to my name.									
·									
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:									
PROTECTION AF	RRANGEMEN	T FOR NATUR	AL ENERG	GY					
POWER GENERATIONSYSTEMS									
the specification of which (Title of the Invention)									
is attached hereto									
OR was filed on (MM/DD/YYYY)		as linite	od States Anniicai	ion Number or PCT International					
Application Number		ras amended on (MM/DD/Y	,	(if applicable).					
I hereby state that I have reviewed a amended by any amendment specifi	and understand the ically referred to ab	contents of the above iden ove.	tified specification	n, including the claims, as					
I acknowledge the duty to disclose in	nformation which is	material to patentability as	defined in 37 CF	R 1.56.					
-									
I hereby claim foreign priority benefit certificate, or 365(a) or any PCT inte	ts under 35 U.S.C.	119(a)-(d) or 365(b) of a	ny foreign applic	ation(s) for patent or inventor's					
America, listed below and have also i	dentified below, by	checking the box, any fore	ion application fo	r natent or inventor's certificate					
or of any PCT international application	n having a filing dat	e before that of the applica	tion on which pric	rity is claimed.					
Prior Foreign Application		Foreign Filing Date	Priority	Certified Copy Attached?					
Number(s)	Country	(MM/DD/YYYY)	Not Claimed	YES NO					
			<u> </u>						
Additional foreign application numbers are listed on a supplemental priority data sheet PTC/SB/02B attached hereto:									
I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below. Application Number(s) Filling Date (MM/DD/YYYY)									
Application Number(s)	Filing Date	e (MW/DD/YYYY)							
60/105,990	10/28/	1998		nal provisional application					
00/103/030	10,20,	1000		mental priority data sheet					
			PTO/S	8/02B attached hereto.					

[Page 1 of 2]
Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type o plus sign (+) holds sale her		Ag Palent and Tradem a are required to respe	proved for use & ext. Office; U.S. (and to g enthants	PROBLEM (1997) PROBLEM (1997) PROBLEM (1997) PROBLEM (1997) PROBLEM (1997) PROBLEM (1997)
DECLARATION -	-Utility or	Design P	atent A	pplication
I hereby claim the handit great 35 U.S.C. 128 of United States of America, fetted below seed, he United States or PCT internalized application United States or PCT internalized application on Universalized by PCT international filing date; a	of any United States applied as the subject mail the service provided by defined in 37 1.86 of the seaflestice.	hadion(i), or 300(ii) of or of each of the white the first paragraph of i which become explus	erry PCT letterne of this section 6 U.S.C. 112.11 is between the f	beed applicates designably the day is an electron in the pair attraction to that is disclose they day if the pair application
U.S. Parent Application or Number		Perent Filing	,	Parent Patent Number (7 applicable)
Additional U.S. or PCT International application in the Committee of the C	Contents Number	th) to prospecto this ea	phonius and to	CARAGE abunded Navels, brought of business is the Patient Page Continue Abunder for Code
	Registration Registration	i cometestation re	More More	Registration
			×	
Additional resistanced providing or (s) reproved o		ad Prostilland Inform	the sheet FTO!	ISSES Standard heads
Direct all correspondence to: Custom	ner Number		7.7.	mespendenes address below
	Code Label	1		
Address 359 Gri	egstown.	R4	·	
Maria				
Cay Bell+ Me	col	n n	720	08502
Country USB	Telephone (90	18 359 - 845	3	1908) 359-1493
Country (US)? I havely declare that of galaxysta made has been as the positional field these transmissions by the or implemental, or both, a positional of any passes have the control of	als of my own traveleds tempers were made will pader 18 U.S.C. 1991 m	e gry true and that at the transladge that t of that qual valled to	siglements me willed folion state he gledoments fi	de on Milmediae and bell dre- ments and the like as reads are my journalitie the validity of the
Name of States First Inventor:				r this unaigned inventor
Ghren Hume (first and middle)	Y smile		Jamily Name	a bunne
Paul J		Sm	alser	
X Faul	J. Luca	lu		io(27/8)
man Hamilton 59	vare 15	Source .	USB	WIB
Per Chin Address 167 Maj	ple Shac	le Ave.		
Prof Office Address				1
my Hamilton Square	715	0869	O CON	USA

Please type (o plus sign (+) inside this bu Under the Peacement i		Pulant and	Approved to Tradement Office to respond to g o	r use Grouph S r: V.S. Carles	PTOWNEY (12. ROSS. CMS 909)-0 MEDIT OF CONNERS
DE		Noticetter Aut of 1886, no par mbor.				
DE	CLARATIO	N — Utility o	r Desig	n Pater	nt Appl	ication
haraby daja Iribad States Chad States	n the baneti under 25 U.S.(s of America, Bated below s	C. 120 of any United States a mg. inserior as the subject m	polication(s), or 3	M(s) of any PCT		Property designating
formation was	rhick to mesorial to puterstate and or PGT intermetional files	2. 120 of any United States a mal, healer on the subject n miles in the marent provided thy an defend in 27 CFR 1. I date of this application.	by the first parties of which bosoms	reph of 35 U.S.C.	112. I administration of the River of the State of the St	of distances in the parties of the day in charles in the day in charles in the day in th
U	J.S. Perent Application Number	and the state of t	Parent I	Filing Date	Parent	Patent Number
			(MM/D	emme		espticable
- Admini	U.S. or PCY International	pplication numbers are lated				
e remed in	venter, I hereby appoint the	halouted registered providing	auto de lacabargo an a madernica		and to branches	attached herete. S trusinged in the Par
		Of Resistant sensition			-	THE CHAPTER COM
	Name	Registration	ts) remarkables	Mon Mutther Island	being L	label ten.
mi	had Y					
	Epstein	21186				
Addiesel		ned on maximum Reside	red Prositioner is	formation should	T TOTAL CONTROL	
mee ile toe	espendence to: [] Cu	Rer Code Label		OR 这	/	
rine .	Michae		/	1 4	(00:00	
drage	359	Grisgston	stein	2 /		
idean		4/13/3/62	in It	4		
·	Belle m	ead	244	NJ 2	08	50 2
urdry _	USA	Telephone (90				59-1493
roby decient road by he whiche by f	o that all statements made that; and further that these that or insufacement — to	harrin of my own traveleds elektrosite were made will the under 18 U.S.G. 1001 as		ud of statements Des willed to be a	Made on labor	relian and bolef or
	Z n d			of felts determen	to May jooperd	to the validity of th
			☐ A petition	n hae been flied	for this uneig	ned inventer
	can times that and midd	in it sawh		Eamily No	me or human	
Cha		8 6 1	Ca	rroll		
	X (list)	es B. Carrol		7		10/27/9
			- Courts	USA		USIA
t Office Ad		falston	Dr.		-	
t Office Ad					*	
	Trenton	nJ a			country ((SA
ogmons!	inventors are being nume	ed on the supplemen	tel Additional is	wenter(s) sheet	(e) PTO/SB/0	24 steehed here!